



SAFETY DATA SHEET

DISSOL

Current revision date: 11/22/2017

current revision no.: 03

Previous revision date: 30/09/2014

previous revision no.: 02

Section 1. Identification of substance or mixture and company/enterprise

1.1 Product identifier

Trade name : DISSOL
ISS Code : DES

1.2 Relevant identified uses of the substance or mixture and not recommended uses

Consumer use [SU21], Professional use [SU22]: Fast-acting drain opener
Uses not recommended: All those not expressly specified in the label

1.3 Information about the safety data sheet provider

1.3.1 Supplier of the

substance/mixture FACOT

CHEMICALS s.r.l.

Via Crema, 44 - 26010 CAPRALBA (CR) - ITALY

tel. +39 0373 450642-3 Fax +39 0373 450751

e-mail of referee: msds@facot.itemail: info@facot.it www.facot.it

1.4 Emergency telephone number

ITALY - Phone numbers of Poison Control Centers designated by the Ministry of Health (http://www.salute.gov.it/servizio/documenti/centri_antiveleni.pdf)

Name of Poison Center	Poisons Information Center of Florence	Name of Poison Center	Poison Center Genoa
Emergency telephone	+39 55 79 47 819	Emergency telephone	+39 10 56 36 12 45
Website	www.antiveleni.altervista.org	Website	- - -
Name of Poison Center	Poison Centre Cardarelli Hospital	Name of Poison Center	Poisons Center Padua
Emergency telephone	+ 39 081 74 72 870	Emergency telephone	+39 49 82 75 078
Website	www.ospedalecardarelli.it/ospedale/centro-anti-veleni	Website	- - -
Name of Poison Center	Poison Center Milan Niguarda	Name of Poison Center	IRCCS Fondazione S.Maugeri
Emergency telephone	+39 2 66 10 10 29	Emergency telephone	+39 382 24 444
Website	www.centroantiveleni.org	Website	www.cavpavia.it
Name of Poison Center	Policlinico Gemelli Poison Antipoison Center	Name of Poison Center	Poison Center, University "La Sapienza"
Emergency telephone	+39 6 30 54 343	Emergency telephone	+39 6 49 97 06 98
Website	www.tox.it	Website	www.uniroma1.it/cav_cartella
Name of Poison Center	Poison Center Torino		
Emergency telephone	+39 11 66 37 637		
Website			

Section 16 of the safety data sheet contains the contact details of some poison centres in Europe.

Section 2. Hazard identification

2.1 Classification of the substance or mixture

2.1.1 1272/2008 Classification within the meaning of Regulation (CE) No. 1272/2008:

Pictograms : GHS05
Class codes and hazard category : Skin Corr. 1A
Hazard indication codes : H314 - Causes severe skin burns and severe eye lesions.

2.1.2 Adverse effects

Corrosive product: causes severe skin burns and serious eye damage.

2.2 Label elements

2.2.1 Labelling according to Regulation (EC) No 1272/2008

Pictograms : GHS05



Warning code : DANGER
Hazard statements codes : H314 - Causes severe skin burns and severe eye lesions.
Other hazard statements : Not applicable

Safety phrases: General

P101 - In case of a doctor's consultation, keep the container or the label of the product available.
P102 - Keep out of the reach of children.
P103 - Read the label before use.

Prevention

P260 - Do not breathe the fumes/vapors.
P264 - Wash your hands thoroughly after use.
P280 - Wear protective gloves/protective clothing/eye protection/face protection.

Reaction

P301 + P330 + P331 - IF SWALLOWED: rinse mouth. DO NOT induce vomiting.
P303+P361+P353 - IN CASE OF CONTACT WITH THE SKIN (or with hair): take off immediately all contaminated clothing Rinse skin with water/shower.
P305 + P351 + P338 IF IN EYES: rinse continuously with water for several minutes. Remove contact lenses if present and easy to do.

Continue rinsing.

P310 - Immediately contact a POISON CENTER or a doctor.

P363 - Wash contaminated clothing before wearing again.

Storage

P405 - Store under lock and lock.





SAFETY DATA SHEET

DISSOL

Current revision date: 11/22/2017

current revision no.: 03

Previous revision date: 30/09/2014

previous revision no.: 02

Disposal

P501 - Dispose of contents/ container in accordance with current local and/or national regulations. It contains: Sulfuric acid 98%

2.3. Other hazards

The substance/mixture contains NO substances classified as PBT/vPvB pursuant to Regulation (EC) 1907/2006, Annex XIII. Packaging must be fitted with child safety lock. Packaging must bear a warning symbol in relief, recognisable by touch.

Section 3. Composition/information on ingredients

3.1 Substances

Not relevant

3.2 Mixtures

Refer to point 16 for the full text of hazard statements.

Substance	Concentration	Classification	CAS	EINECS	REACH
Sulfuric acid	>95 <99%	Skin Corr. 1ST, H314	7664-93-9	231-639-5	01-2119458838-20

Section 4. First aid measures

4.1 Description of first aid measures

Inhalation

CONSULT A DOCTOR IMMEDIATELY. Move the injured away from the polluted area and keep the person at rest in a ventilated area.

Direct contact with the skin (the pure product)

CONSULT A DOCTOR IMMEDIATELY. Rinse immediately with plenty of water and soap the areas of the body that have come in contact with the product, even if only suspected. Remove contaminated clothing. Do not use neutralising agents and do not apply ointments before 24 hours or without medical advice.

Direct contact with the eyes (the pure product)

SEEK MEDICAL ADVICE IMMEDIATELY. Wash immediately and thoroughly with running water, a eyelids open, for at least 15 minutes; then protect your eyes with sterile dry gauze or cloth. Do not use eye drops or ointments unless recommended by the ophthalmologist.

Ingestion

SEEK MEDICAL ATTENTION IMMEDIATELY. Immediately rinse the mouth with plenty of water, without swallowing. Do not induce vomiting and do not administer anything without the control of the medical staff.

4.2 Main symptoms and effects, both acute and delayed

The product seriously harms the mucous membranes as well as the eyes and skin. The vapors/mists damages the airways. The symptoms are: cough, apnea, headache and nausea. Following ingestion, symptoms are severe pain (with risk of perforation!), nausea, vomiting and diarrhea. After a latency of a few weeks the passage between the stomach and the duodenum may shrink (pyloric stenosis).

4.3 Indication of the need for immediate medical advice and special treatments

See 4.1 Description of first aid measures.

Section 5. Fire-fighting measures

5.1 Extinguisher media

Suitable extinguishing media: Chemical powders, depending on the materials involved in the fire.

Unsuitable extinguishing media: Direct jets of water.

5.2 Special hazards arising from the substance or mixture

Do not breathe the fumes. Thermal decomposition develops fumes that are potentially harmful to health.

5.3 Recommendations for firefighters

Use protective clothing for the respiratory tract, eyes and skin. The water spray can be used to disperse the vapours and protect the people involved in the extinction. It is also recommended to use breathing apparatus, especially if you work indoors in poorly ventilated spaces and in any case if you use halogen-based extinguishers. Wear the fire-fighting team specific protective equipment.

Section 6. Measures in the event of accidental release

6.1 Personal precautions, protective devices and emergency procedures

For those who do not intervene directly: Move away from the area surrounding the spill or release. Do not smoke.

For those who intervene directly : Eliminate all naked flames and any sources of ignition. Don't smoke. Contain leaks with soil or sand. If large amounts of product has flowed in a water course, into the sewer system or has contaminated soil or vegetation, advise the competent authorities. Prevent the product from entering the sewer. Evacuate the danger area and, possibly, consult an expert.

6.2 Environmental precautions

Contain leaks with soil or sand. If large amounts of product has flowed in a water course, into the sewer system or has contaminated soil or vegetation, advise the competent authorities. Dispose of the residue in compliance with the regulations in force .

6.3 Methods and materials for containment and reclamation

Contain and absorb the liquid poured, with inert materials absorbing (sand, soil, sepiolite, other specific products) and store it in sealed containers. Not to absorb with sawdust or other combustible substances! Consign it exclusively to specialized companies.

6.4 Reference to other sections

Refer to points 8 and 13 for further information

Section 7. Handling and storage

7.1 Precautions for safe handling

Use in sufficiently ventilated areas. Avoid contact with skin and wear the personal protective equipment provided. Do not eat, drink or smoke during use.

7.2 Conditions for safe storage, including any incompatibilities

Store in original packaging, tightly closed, in cool, dry environment. Do not expose to direct sunlight. Do not store in unlabelled containers. **Keep separate from alkali and from incompatible materials specified in section 10 of this sheet.**





SAFETY DATA SHEET

DISSOL

Current revision date: 11/22/2017

current revision no.: 03

Previous revision date: 30/09/2014

previous revision no.: 02

7.3 Specific end uses

Store in a well-ventilated area and away from heat sources. Follow the instructions on the label/information sheets.

Section 8. Exposure controls/Personal protection

8.1 Control parameters

Related to the substances contained

Substance: Sulfuric acid**TLV/TWA** 0.2 mg/m³ ACGIH/2016**Directive 2009/161/UE** Limit value (8hours) 0.05 mg/m³**DNEL**Local Effects Long term Workers Inhalation = 0.05 (mg/m³)Short term effects - local effects, Workers Inhalation = 0.1 (mg/m³)**PNEC**

Fresh water = 0.003 (mg/l)

Fresh water sediments = 0.002 (mg/kg/sediment)

Sea water sediments = 0.002 (mg/kg/sediment)

STP = 8.8 (mg/l)


8.2 Exposure controls

If as a result of the evaluation of risk and technical preventive measures and/or collective safety organization shows that there is still a residual risk to the worker, you must give the worker of the most suitable Personal Protective Equipment including those below


8.2.1 Suitable technical checks

8.2.2 Personal protection measures, i.e. personal protective equipment


A. EYE AND/OR FACE PROTECTION

PICTOGRAM	dpi	OBSERVATIONS
	PPE for the eyes are of category II and must bear the CE marking and the number of the notified body that issued the certification. Standard EN166 PPE Requirements - specifications	Goggles and face mask manufactured with a ventilation system that prevents dust/or liquids from entering the eyes.
Goggles		


B. HAND PROTECTION

PICTOGRAM	dpi	OBSERVATIONS
	Gloves that protect hands against chemical corrosive agents, category III bearing the CE marking and the number of the notified body that issued the certification. Standard EN374 Gloves that provide protection against chemicals and micro-organisms.	Wear waterproof gloves compliant with standard EN374-1, -2 and -3 (i.e. nitrile minimum thickness 0.35 - neoprene/latex minimum thickness 0.5). In relation to the contact time use gloves with appropriate IP (Permeation Index). Gloves must be checked before use. Use a proper technique for removing the gloves (without touching the outside of the glove) to avoid skin contact with this product.
Gloves		

C. BODY PROTECTION

PICTOGRAM	dpi	OBSERVATIONS
	Standard UNI EN ISO13688 Protective clothing - General requirements	When handling the pure product wear waterproof clothing with full skin protection.
Work equipment		

D. RESPIRATORY PROTECTION

PICTOGRAM	dpi	OBSERVATIONS
	The choice of PPE must be made according to standard UNI EN 529:2006 (Respiratory protection devices - Recommendations for selection, use, care and maintenance - Guidance document) by establishing the proper OPF "Operating Protection Factor" (i.e. can be used UNI EN149 face masks - Respiratory tract protective devices - Half-mask that protects against dust particles).	Under normal work conditions, in the presence of air, no PPE is required. If operating conditions may involve the use of the product under conditions of poor air circulation and possible stagnation of mists and/or vapors of product, use respiratory protection.
Filter masks		

E. THERMAL

HAZARDS Nothing to report

8.2.3 ENVIRONMENTAL EXPOSURE CONTROLS

Prevent product release to the environment

Section 9. Physical and Chemical Properties

9.1 Information on the physical and chemical properties fundamental

Physical and chemical properties	Value	Notes or analytical method
Appearance	Oily liquid	Visual
Odour	Characteristic mild	Olfactory
Olfactory threshold	Not available	---
pH	<1	---
Melting point/freezing point	Not available	---
Initial boiling point and boiling range	295-315°C	---
Flash point	Not available	---
Evaporation rate	Not available	---
Flammability (solid, gas)	Not applicable	---
Upper/lower flammability or explosion limits	Not available	---
Vapour pressure	~ 6 Pa at 20 °C	---





SAFETY DATA SHEET

DISSOL

Current revision date: 11/22/2017

current revision no.: 03

Previous revision date: 30/09/2014

previous revision no.: 02

Steam density	Not available	
Relative density	1.840 0.010 gr/cm3	---
Solubility	Soluble in water with which it reacts with violent exothermic reaction	---
Partition coefficient: n-octanol/water	Not available	---
Self-ignition temperature	Not available	---
Decomposition temperature	Not available	---
Viscosity	Not available	---
Explosive properties	Not available	---
Oxidizing properties	Not available	---

9.2 Other Information

No further data available

Section 10. Stability and responsiveness

10.1 Response

Under normal conditions of use and storage following the recommended procedures for use, there is no risk of reactivity. Highly reactive with water and alkali

10.2 Chemical stability

Stable under normal conditions of use.

10.3 Possibility of dangerous reactions

There are no dangerous reactions in the normal conditions of use and by following the procedures recommended.

10.4 Conditions to be avoided

Shock and friction	Contact with air	Heating	Sunlight	Humidity
ONE	NO	ONE	NO	ONE

10.5 Incompatible materials

Acids	Basis	Water	Oxidizing/Reducing Agents	Other
NO	ONE	YES	ONE	NO

10.6 Hazardous decomposition products

Under normal conditions of use and storage, the product does not decompose.

Section 11. Toxicological information

11.1 Information on toxicological effects

ATE(mix) oral	=	Not available	mg/kg
ATE(mix) dermal	=	Not available	mg/kg
ATE(mix) inhal	=	Not available	mg/l/4h

Hazard class		Classification
(a)	Acute toxicity:	Non classified. On the basis of available data, the classification criteria are not met
(b)	Corrosion skin / skin irritation:	Corrosive product: causes severe skin burns
(c)	Serious damage eyes/eye irritation:	Corrosive product: causes severe eye lesions.
(d)	Sensitization of resp. tractor skin:	Non classified. On the basis of available data, the classification criteria are not met
(e)	Mutagenicity on germ cells :	Non classified. On the basis of available data, the classification criteria are not met
(f)	Carcinogeni city:	Non classified. On the basis of available data, the classification criteria are not met
(G)	Toxic for reproduction :	Non classified. On the basis of available data, the classification criteria are not met
(h)	Toxic to target organs (STOT) - single exposure:	Non classified. On the basis of available data, the classification criteria are not met
(s)	Toxic to target organs (STOT) - single exposure:	Non classified. On the basis of available data, the classification criteria are not met
(j)	Hazard in case of aspiration	Non classified. On the basis of available data, the classification criteria are not met

Related to the substances contained

Substance: Sulfuric acid

EXPOSURE ROUTES

RISKS FOR INHALATION

EFFECTS OF SHORT TERM EXPOSURE

EFFECTS OF REPEATED OR LONG-TERM EXPOSURE

The substance can be absorbed into the body by inhalation and ingestion.

Evaporation at 20° C is not relevant; a harmful concentration of particles dispersed in the air can be reached quickly.

Corrosive. The substance is very corrosive to the eyes the skin and the respiratory tract. Corrosive by ingestion. Inhalation of this substance aerosols can cause pulmonary oedema (see Notes).

Lungs may be affected by repeated or prolonged exposure to an aerosol of this substance.

Risk of tooth erosion following repeated or prolonged exposure to an aerosol of this substance. Vapours of strong inorganic acids containing this substance are carcinogenic to humans.

ACUTE RISKS/ SYMPTOMS

INHALATION Corrosive. A burning sensation. Sore throat. Cough. Breathing difficulties. Shortness of breath. Symptoms may be delayed (see Notes). CUTE

Corrosive. Redness. Pain. Blisters. Severe skin burns.

EYES Corrosive. Redness. Pain. Severe deep burns. INGESTION

Corrosive. Redness. Pain. Severe deep burns.

NOTES Symptoms of pulmonary edema often do not manifest themselves earlier than a few hours and are aggravated by physical exertion. Therefore, rest and medical observation are essential.

LD50 Oral (rat) (mg/kg body weight) = 2140

CL50 Inhalation (rat) of mist/dust/aerosol/fumes (mg/1/4h) or gas (ppmV/4h) = 375

Section 12. Ecological information

12.1 Toxicity

Use according to good working practices, avoiding dispersing the product in the environment.

Sulfuric acid is a strong mineral acid which dissociates easily in water into hydrogen ions and sulphate ions and is completely miscible with water The total dissociation of sulfuric acid to environment pH implies that it will not be absorbed by particles or that it can accumulate in living tissues.





SAFETY DATA SHEET

DISSOL

Current revision date: 11/22/2017

current revision no.: 03

Previous revision date: 30/09/2014

previous revision no.: 02

12.2 Persistence and degradability

Biotic degradability: not required because this is an inorganic compound.

Abiotic degradation: the product is hydrolyzed

Not persistent.

12.3 Bioaccumulation potential

Not bioaccumulative

12.4 Mobility in soil

Is not adsorbed by soil particles.

12.5 Results of the PBT and vPvB evaluation

The substance/mixture contains NO substances classified as PBT/vPvB pursuant to Regulation (CE) 1907/2006, Annex XIII

12.6 Other adverse effects

Data not available

Section 13. Disposal considerations**13.1. Waste treatment methods**

Do not reuse empty containers. Dispose of waste in accordance with current regulations. Any product residues can be burned in a suitable incinerator, provided with post-combustion and abatement system. NB – the EWC suggested code (s) s refers to the product as such without considering any impurities present after use. Therefore, it is recommended to reclassify the waste prior to disposal by assessing the origin thereof as well. The EWC code attributed may be different.

CER code	Description	Notes
06 01 01*	Sulfuric acid and sulfurous acid	HP8 - Corrosive

Section 14. Transport Information

	ADR	IMDG	IATA
14.1	UN number	1830	
14.2	ONU shipping name	SULFURIC ACID containing more than 51% of acid	
14.3	Transportation hazard class	8	
	Label	8	
14.4	Packing group	II	
	Limited quantities		
	Inner packaging	1 L	0.5 L (P.I. Y840)
	External packaging	20 or 30 kg	30 kg
	Code of restriction in tunnels.	E	N.A.
	EMs	N.A.	F-A, S-B
	Storage and isolation	N.A.	Category C / SW 15
14.5	Dangerous to the environment	NO	
	Marine Contaminant	NO	
14.6	Special precautions for users	Common packaging In amounts below 3 litres per inner packaging, the product may be packed together in a package combined in compliance with Art 6.1.4.21 of ADR2011: - with goods belonging to the same class having codes of different classification or with goods of other classes, when this packaging in common is also authorized; or - with goods that are not subject to the provisions, provided that they do not react dangerously with each other. Operator The staff assigned to carry out loading/unloading must be subjected to specific training and use mask, gloves and goggles if necessary	
14.7	Transport in bulk according to Annex II of MARPOL 73/78 and the IBC code	There is no provision for bulk transport	

Section 15. Regulatory information**15.1 Standards and Legislation on Health, Safety and Environmental Specifications for the Substance or Mixture.****D.Lgs. 09/04/2008 n° 81 - TITLE IX Chapter II****It does not contain carcinogens pursuant to Art.234 .**

The use of this product entails the obligation of the "Risk Assessment" by the employer in accordance with the provisions of the Legislative Decree. April 9, 2008 No 81. Workers exposed to this chemical agent must not be subjected to health surveillance if the outcome of the risk assessment shows that, in relation to the type and quantity of a dangerous chemical agent and the mode and frequency of exposure to this agent, there is only a "moderate risk" for health and safety of workers and that the measures provided for in the same Decree are sufficient to reduce the risk.

Law Decree Government No 52 of 03/02/1997

(Implementation of Directive 92/32/CEE on classification, packaging and labelling of dangerous substances).

D.Lgs. Government No 25 of 02/02/2002

(Implementation of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at workplace).

DM of 26/02/2004

(Definition of a first list of indicative occupational exposure limit values to chemical agents).

Regulation (EC) No 1907/2006 Of the European Parliament and of the Council dated December 18, 2006

Concerning the registration, evaluation, authorisation and restriction of chemicals (REACH), establishing a European agency for chemical substances, amending Directive 1999/45/CE and repealing Regulation (EEC) n. 793/93 Of the Council and the Regulation (CE) no 1488/94 Of the Commission and the Council Directive 76/769/EEC, the directives of the Commission 90/155/CEE, 93 67/67, 93 /105/CE and

Regulation (CE) no. 1272/2008 of the European Parliament and of the Council dated December 16, 2008

On the classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC and amending Regulation (EC) N 1907/2006





SAFETY DATA SHEET

DISSOL

Current revision date: 11/22/2017

current revision no.: 03

Previous revision date: 30/09/2014

previous revision no.: 02

Regulation (EC) No 790/2009 Of the Commission dated August 10, 2009

Amending, for the purposes of adaptation to technical and scientific progress, of Regulation (CE) n. 1272/2008 of the European Parliament and The Council on classification, labelling and packaging of substances and mixtures.

Regulation (EU) No. 528/2012 of the European Parliament and of the Council of 22th of May 2012, concerning the marketing and use of biocidal products.

Regulation (CE) no. 648/2004 of the European Parliament and of the Council dated December 31, 2004 Concerning detergents.

15.2 Chemical safety assessment

Chemical safety assessment not provided.

Section 16. More information**16.1 Other information**

Description of hazard statements given in section 3 H314 =

Causes severe skin burns and severe eye lesions.

Classification carried out according to the data of all components of the mixture

ANTIPOISON CENTRE

EUROPE			
Country	AUSTRIA	Country	BELGIUM
Name of poison centre	Vergiftungsinformationszentrale (Poisons Information Centre)	Name of poison centre	Centre Antipoisons-Antigifcentrum
Emergency phone	+43 1 406 43 43	Emergency phone	+32 70 245 245
Website	www.giftinfo.org	Website	www.poisoncentre.be
Country	CROATIA	Country	FRANCE
Name of poison centre	Poison Control Centre Zagreb	Name of poison centre	ORFILA_Liste des centres anti poison
Emergency phone	+358 1 2348 342	Emergency phone	+33 1 40 05 48 48
Website	www.imi.hr	Website	- - -
Country	FRANCE	Country	GERMANY
Name of poison centre	Centre antipoison et de toxicovigilance de Paris	Name of poison centre	Deutschland Notrufnummer
Emergency phone	+33 (0)1 40 05 48 48	Emergency phone	+49 030 30 68 67 90
Website	www.centres-antipoison.net	Website	- - -
Country	NETHERLANDS	Country	SPAIN
Name of poison centre	National Poisons Information Centre	Name of poison centre	Emergencias y consultas toxicológicas
Emergency phone	+31 30 274 88 88	Emergency phone	+34 915 620 420
Website	www.vergiftigen.info	Website	- - -

MAIN BIBLIOGRAPHIC SOURCES

ECHA	European Chemicals Agency	OSHA	European Agency for Safety and Health at Work	IARC	International Agency for Research on Cancer
IPCS	International Programme on Chemical Safety (Cards)	NIOSH	Registry of toxic effects of chemical substances (1983)	ACGIH	American Conference of Governmental Industrial Hygienists
TOXNET	Toxicology Data Network	WHO	World Health Organization		

ACRONYMS AND ABBREVIATIONS USED IN THE SDS

CAS:	Chemical Abstracts Service	GHS:	Globally Harmonized System	EINECS:	European Inventory of Existing Commercial Chemical Substances	ONU:	United Nation Organization
DNEL:	Derived no-effect level	PNEC:	Predicted no-effect level	EWG:	European Waste Catalogue	EC50:	Effective concentration 50
EC:	European Inventory of Existing Commercial Chemical Substances	K _{oc} :	Absorption coefficient of a compound into organic substance	STP:	Micro-organisms in waste water purification system	{0>TLV <0}- {0>TWA:<0}	Threshold - average time-weighted value
TLV - STEL:	Threshold limit value - short time exposure limit	EN:	Acronym that identifies the standards developed by CEN	SUVA:	Company of public right independent of the system of Swiss social security.	VME:	limit for exposure deviation percentage medium
VL:	Limit exposure value	L. Decree:	Legislative Decree	DM:	Ministerial Decree	CE:	European Community
PPE:	Device Single of Guard	UNI:	National Italian Body of Unification	ppm:	Parts per million	ISO:	International Standard Organization
CEN:	European Committee for Standardization	ATEmix:	Acute toxicity estimate of the mixture	DL50:	Lethal dose 50%	CL50:	Lethal concentration 50%
STOT:	Specific Target Organ Toxicity	PBT:	Persistent, Bioaccumulative and Toxic	vPvB:	very persistent and very bioaccumulative	IATA:	International Air Transport Association
ADR:	Accord europeen relatif au transport international des marchandises Dangereuses par Route	IIMDG:	International Maritime Dangerous Goods	EmS:	Emergency Response Procedures for Ships Carrying Dangerous Goods	REACH:	Regulation concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency
N.A.S.:	Not Otherwise Specified	N.A.:	Not available	N.A.:	Not applicable	DMEL:	Derived minimum effect level

This safety data sheet fully replaces all previous versions.

Material Safety Data Sheet as per Regulation (UE) no. 2015/830 of 29 May 2015 and subsequent amendments

The information on this safety data sheet has been obtained from the best available or known to us on the market at the indicated review date. Neither the Company owned by this card nor the subsidiaries will accept complaints arising from misuse of the information indicated herein or misuse in the application of the product. Pay particular attention to the use of the preparations because improper use may increase the hazard.

